Safety Data Sheet BB70 Boat Bright

Page 1

Revision Date: 6/29/2015

Section 1. Product and Company Identification

Product Identifier BB70 Boat Bright

Product Use

Bright Green, turbid liquid with sweet odor for use as a gloss enhancer for Boat Description:

Hard surface surfaces

Manufacturer or suppliers' details

Babes Boat Products Emergency Number: 800-255-3924 1097 Hewitt Dr. Customer Service: 808-682-9274 San Carlos, CA 94070

Business Fax:

Section 2. Hazards Identification

GHS Classification

Not a Hazardous Substance or Mixture

GHS Label Elements Hazard pictograms

Hazard Word No Hazardous ingredients at concentration requiring notification

Hazard Statements

none

Precautionary Statements

If eye irritation occurs get medical advice/attention **IF SKIN IRRITATION OCCURS:** Get medical advice/attention

Safety Data Sheet BB70 Boat Bright

Page 2

Revision Date: 6/29/2015

3. Composition Information on Ingredients

CAS Number

Wt %

Component Name

None above reportable percentage

Amounts specified are typical and do not represent a specification. Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

4. First Aid Measures

Eye: Immediately flush with water. If any irritation or discomfort occurs, consult physician

Skin: No first aid should be needed. Thoroughly wash the affected area as a precaution.

Inhalation: Inhallation of any liquid should be considered potentially dangerous, consult a physician.

Oral: No first aid should be needed for oral contact. If product is swallowed, consult physician.

Comments: Treat symptomatically.

5. Fire Fighting Measures

Extinguishing Media:

On large fires use dry chemical, foam or water spray. On small fires use carbon dioxide (CO2), dry chemical or water spray. Water can be used to cool fire exposed containers.

Fire Fighting Measures:

Self-contained breathing apparatus and protective clothing should be worn in fighting large fires involving chemicals. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.

Unusual Fire Hazards:

None.

Hazardous Decomposition Products

Thermal breakdown of this product during fire or very high heat conditions may evolve the following hazardous decomposition products: Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde. Metal oxides.

6. Accidental Release Measures

Observe all personal protection equipment recommendations described in Sections 5 and 8. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.

Safety Data Sheet BB70 Boat Bright

Page (

Revision Date: 6/29/2015

Clean up remaining materials from spill with suitable absorbant. Clean area as appropriate since spilled materials, even in small quantities, may present a slip hazard.

Local, state and federal laws and regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which federal, state and local laws and regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain federal and state requirements.

7. Handling and Storage

Use with adequate ventilation. Avoid eye contact.

Use reasonable care and store away from oxidizing materials.

8. Exposure Controls and Personal Protection

None above reportable percentage

Engineering Controls

Local Ventilation: None should be needed. General Ventilation: Recommended.

Personal Protective Equipment for Routine Handling

Eyes: Use proper protection - safety glasses as a minimum. Skin: Washing at mealtime and end of shift is adequate.

Suitable Gloves: No special protection needed.

Inhalation: No respiratory protection should be needed.

Suitable Respirator: None should be needed.

Precautionary Measures: Avoid eve contact. Use reasonable care.

Comments: When heated to temperatures above 150 degrees C in the presence of air, product can form formaldehyde vapors. Formaldehyde is a potential cancer hazard, a known skin and respiratory sensitizer, and an irritant to the eyes, nose, throat, skin, and digestive system. Safe handling conditions may be maintained by keeping vapor OSHA Permissible Exposure Limit for formaldehyde.

Safety Data Sheet BB70 Boat Bright

Page 4

Revision Date: 6/29/2015

9. Physical and Chemical Properties

Flash Point None Upper Flamability Limit Not Determined

Auto Ignition Not Determined Lower Flamability Limit Not Determined

Physical State Liquid Color Bright Green Vapor Press Not Determined

pH 6.8 Specific Gravity 0.98 Viscosity 2 cSt

Vapor Density (Air=1) Not Determined Melting Point °F 28°F Odor Sweet

Water Solubility Dispersable VOC Content <1%

10. Stability and Reactivity

Stability Stable Hazardous Polymerization Not Expected to Occur

Conditions to Avoid Oxidizing materials can cause a reaction

Hazardous When heated to temperatures above 150 degrees C in the presence of air, **Decomposition Products** product can form formaldehyde vapors.

Safe handling conditions may be maintained by keeping vapor OSHA

Permissible Exposure Limit for formaldehyde.

11. Toxicological Information

Acute oral toxicity: Acute toxicity estimation LD50> 100,000 mg/Kg Calculation Method

12. Ecological Information

Toxicity: Acute toxicity estimation EC50> 50,000 mg/Kg (Calculation Method 3.1.3.6.1) 48 hr 13. Disposal Considerations

RCRA Hazard Class (40 CFR 261)

When a decision is made to discard this material, as received, is it classified as a hazardous waste? No

State or local laws may impose additional regulatory requirements regarding disposal.

14. Transportation Information

Not subject to DOT. Not regulated

Not subject to IMDG code.

Not subject to IATA regulations

15. Regulatory Information

TSCA Status: All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

Safety Data Sheet BB70 Boat Bright

Page 5

Revision Date: 6/29/2015

EPA SARA Title III Chemical Listings

Section 302 Extremely Hazardous Substances (40 CFR 355): None. Section 304 CERCLA Hazardous Substances (40 CFR 302): None.

Section 311/312 Hazard Class (40 CFR 370):

Acute: No Chronic: No Fire: No Pressure: No Reactive: No

Section 313 Toxic Chemicals (40 CFR 372): None present or none present in regulated quantities.

16. Other Information Revision Date 6/29/2015

The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use. If buyer repackages this product, legal counsel should be consulted to insure proper health, safety and other necessary information is included on the container.

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH American Conference of Government Industrial Hygienists

LD50 Lethal Dose 50%

AICS Australia, Inventory of Chemical Substances

LOAEL Lowest Observed Adverse Effect Level

DSL Canada, Domestic Sub- stances List

NFPA National Fire Protection Agency

NDSL Canada, Non-Domestic Sub- stances List

NIOSH National Institute for Occupational Safety & Health

CNS Central Nervous System

NTP National Toxicology Program

CAS Chemical Abstract Service

NZIoC New Zealand Inventory of Chemicals

EC50 Effective Concentration

NOAEL No Observable Adverse Effect Level

EC50 Effective Concentration 50%

NOEC No Observed Effect Concentration

EGEST EOSCA Generic Exposure Scenario Tool

OSHA Occupational Safety & Health Administration

EOSCA European Oilfield Specialty Chemicals Association

PEL Permissible Exposure Limit

EINECS European Inventory of Exist- ing Chemical Substances

PICCS Philipines Inventory of Commercial Chemical Substances

MAK Germany Maximum Concentration Values

PRNT Presumed Not Toxic

GHS Globally Harmonized System

RCRA Resource Conservation Recovery Act

>= Greater Than or Equal To

STEL Short-term Exposure Limit

IC50 Inhibition Concentration 50%

SARA Superfund Amendments and Reauthorization Act.

IARC International Agency for Re- search on Cancer

Safety Data Sheet BB70 Boat Bright

Revision Date: 6/29/2015

Page

TLV Threshold Limit Value

IECSC Inventory of Existing Chemical Substances in China

TWA Time Weighted Average

ENCS Japan, Inventory of Existing and New Chemical Sub- stances

TSCA Toxic Substance Control Act

KECI Korea, Existing Chemical Inventory

UVCB Unknown or Variable Composition, Complex Reaction Products, and Biological Materials

<= Less Than or Equal To

WHMIS Workplace Hazardous Materials In- formation System

LC50 Lethal Concentration 50%

Safety Data Sheet BB80 - Seat Soap Page 1

Revision Date: 6/29/2015

Section 1. Product and Company Identification

Product Identifier BB80 - Seat Soap

Product Use Description:

Mild Detergent solution, Blue clear liquid with fruity odor for use as an interior

cleaner in watercraft

Manufacturer or suppliers' details

Babes Boat Products Emergency Number: 800-255-3924 Customer Service: 808-682-9274

San Carlos, CA 94070 Business Fax:

Section 2. Hazards Identification

GHS Classification

Skin Irritation: Category 3 **Eye Irritation**: Category 2B

GHS Label Elements Hazard pictograms

Hazard Word Warning

Hazard Statements

Causes mild skin irritation Causes eye irritation

Precautionary Statements

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing

Safety Data Sheet

BB80 - Seat Soap

0/00/00/5

2

Revision Date: 6/29/2015

Page

If eye irritation persists get medical advice/attention IF SKIN IRRITATION OCCURS: Rinse skin with water/shower If skin irritation or a rash occurs: Get medical advice/attention

3. Composition Information on Ingredients

CAS Number Wt % Component Name

61788-90-7/1643-20-5 2-5% Amines, Coco Alkyldimethyl, N- Oxides

Amounts specified are typical and do not represent a specification. Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

4. First Aid Measures

Eye: Immediately flush with water. If any irritation or discomfort occurs, consult physician

Skin: No first aid should be needed. Thoroughly wash the affected area as a precaution.

Inhalation: Inhallation of any liquid should be considered potentially dangerous, consult a physician.

Oral: No first aid should be needed for oral contact. If product is swallowed, consult physician.

Comments: Treat symptomatically.

5. Fire Fighting Measures

Extinguishing Media:

On large fires use dry chemical, foam or water spray. On small fires use carbon dioxide (CO2), dry chemical or water spray. Water can be used to cool fire exposed containers.

Fire Fighting Measures:

Self-contained breathing apparatus and protective clothing should be worn in fighting large fires involving chemicals. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.

Unusual Fire Hazards:

None.

Hazardous Decomposition Products

Thermal breakdown of this product during fire or very high heat conditions may evolve the following hazardous decomposition products: Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde. Metal oxides.

Safety Data Sheet BB80 - Seat Soap Page 3

Revision Date: 6/29/2015

6. Accidental Release Measures

Determine whether to evacuate or isolate the area according to your local emergency plan. Observe all personal protection equipment recommendations described in Sections 5 and 8. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbant. Clean area as appropriate since spilled materials, even in small quantities, may present a slip hazard. Final cleaning may require use of steam, solvents or detergents. Dispose of saturated absorbant or cleaning materials appropriately, since spontaneous heating may occur. Local, state and federal laws and regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which federal, state and local laws and regulations are applicable. Sections 13 and 15 of this MSDS provide information regarding certain federal and state requirements.

7. Handling and Storage

Use with adequate ventilation. Avoid eye contact.

Use reasonable care and store away from oxidizing materials.

8. Exposure Controls and Personal Protection

61788-90 Amines, Coco Alkyldimethyl, N- Oxides -7/1643-20-5

None Established

Engineering Controls

Local Ventilation: None should be needed.

General Ventilation: Recommended.

Personal Protective Equipment for Routine Handling

Eyes: Use proper protection - safety glasses as a minimum. Skin: Washing at mealtime and end of shift is adequate.

Suitable Gloves: No special protection needed.

Inhalation: No respiratory protection should be needed.

Suitable Respirator: None should be needed.

Precautionary Measures: Avoid eye contact. Use reasonable care.

Comments: When heated to temperatures above 150 degrees C in the presence of air, product can form formaldehyde vapors. Formaldehyde is a potential cancer hazard, a known skin and respiratory sensitizer, and an irritant to the eyes, nose, throat, skin, and digestive system. Safe handling conditions may be maintained by keeping vapor OSHA Permissible Exposure Limit for formaldehyde.

Safety Data Sheet BB80 - Seat Soap Page 4

Revision Date: 6/29/2015

9. Physical and Chemical Properties

Flash Point None Upper Flamability Limit Not Determined

Auto Ignition Not Determined Lower Flamability Limit Not Determined

Physical State Liquid Color Blue Vapor Press Not Determined

pH 8.5 Specific Gravity .99 Viscosity Water thin Vapor Density (Air=1) Not Determined Melting Point °F 32 Odor Fruity

Water Solubility soluble VOC Content 0%

10. Stability and Reactivity

Stability Stable Hazardous Polymerization Not Expected to Occur

Conditions to Avoid Oxidizing materials can cause a reaction

Hazardous When heated to temperatures above 150 degrees C in the presence of air, **Decomposition Products** product can form formaldehyde vapors.

Safe handling conditions may be maintained by keeping vapor OSHA

Permissible Exposure Limit for formaldehyde.

11. Toxicological Information

Acute oral toxicity: Acute toxicity estimation LD50> 100,000 mg/Kg Calculation Method (rat)

12. Ecological Information

Toxicity: Acute toxicity estimation EC50> 15,000 mg/Kg (Calculation Method 3.1.3.6.1) 48 hr (fish)

13. Disposal Considerations

RCRA Hazard Class (40 CFR 261)

When a decision is made to discard this material, as received, is it classified as a hazardous waste? No

State or local laws may impose additional regulatory requirements regarding disposal.

14. Transportation Information

Not subject to DOT. Not regulated

Not subject to IMDG code.

Not subject to IATA regulations

15. Regulatory Information

TSCA Status: All chemical substances in this material are included on or exempted from listing on the TSCA

Inventory of Chemical Substances.

Safety Data Sheet

BB80 - Seat Soap

· ·

5

Revision Date: 6/29/2015

Page

EPA SARA Title III Chemical Listings

Section 302 Extremely Hazardous Substances (40 CFR 355): None. Section 304 CERCLA Hazardous Substances (40 CFR 302): None.

Section 311/312 Hazard Class (40 CFR 370):

Acute: No Chronic: No Fire: No Pressure: No Reactive: No

Section 313 Toxic Chemicals (40 CFR 372): None present or none present in regulated quantities.

16. Other Information Revision Date 6/29/2015

The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use. If buyer repackages this product, legal counsel should be consulted to insure proper health, safety and other necessary information is included on the container.

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH American Conference of Government Industrial Hygienists

LD50 Lethal Dose 50%

AICS Australia, Inventory of Chemical Substances

LOAEL Lowest Observed Adverse Effect Level

DSL Canada, Domestic Sub- stances List

NFPA National Fire Protection Agency

NDSL Canada, Non-Domestic Sub- stances List

NIOSH National Institute for Occupational Safety & Health

CNS Central Nervous System

NTP National Toxicology Program

CAS Chemical Abstract Service

NZIoC New Zealand Inventory of Chemicals

EC50 Effective Concentration

NOAEL No Observable Adverse Effect Level

EC50 Effective Concentration 50%

NOEC No Observed Effect Concentration

EGEST EOSCA Generic Exposure Scenario Tool

OSHA Occupational Safety & Health Administration

EOSCA European Oilfield Specialty Chemicals Association

PEL Permissible Exposure Limit

EINECS European Inventory of Exist- ing Chemical Substances

PICCS Philipines Inventory of Commercial Chemical Substances

MAK Germany Maximum Concentration Values

PRNT Presumed Not Toxic

GHS Globally Harmonized System

RCRA Resource Conservation Recovery Act

>= Greater Than or Equal To

STEL Short-term Exposure Limit

IC50 Inhibition Concentration 50%

SARA Superfund Amendments and Reauthorization Act.

Safety Data Sheet

BB80 - Seat Soap

IARC International Agency for Re- search on Cancer

TLV Threshold Limit Value

IECSC Inventory of Existing Chemical Substances in China

TWA Time Weighted Average

ENCS Japan, Inventory of Existing and New Chemical Sub-stances

TSCA Toxic Substance Control Act

KECI Korea, Existing Chemical Inventory

UVCB Unknown or Variable Composition, Complex Reaction Products, and Biological Materials

<= Less Than or Equal To

WHMIS Workplace Hazardous Materials In- formation System

LC50 Lethal Concentration 50%

Page 6

Revision Date: 6/29/2015